KOHLER®

# Devonshire® | K-193-4

Single-handle bathroom sink faucet, 1.2 gpm

## Features

- KOHLER® ceramic disc valves exceed industry longevity standards for a lifetime of durable performance
- Low-flow aerator option available
- Pop-up drain with lift rod and tailpiece
- 1.2 gpm (4.5 lpm) maximum flow rate at 60 psi (4.14 bar)
- Completes Devonshire design solution with KOHLER fixtures and accessories



## Sustainability

WATER-SAVING DESIGN

## Available Colors/Finishes

***Color tiles intended for reference only.***

| | | |
|---|---|---|
| | CP | Polished Chrome |
| | BN | Vibrant Brushed Nickel |



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-27-2026 02:03 - US-CA

THE BOLD LOOK OF KOHLER®

## Codes/Standards

***ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.***

ADA CSA B651 OBC

ASME A112.18.1/CSA B125.1
NSF/ANSI/CAN 372
NSF/ANSI/CAN 61
DOE - Energy Policy Act 1992
EPA WaterSense®
California Energy Commission (CEC)
ADA
ICC/ANSI A117.1
CSA B651
OBC

## Technical Information

***All product dimensions are nominal.***

### Handle

| | |
|---|---|
| Handle Style/Type: | Lever |

### Spout

| | |
|---|---|
| Spout Reach: | 4-7/8" (124 mm) |

### Flow Rate

| | |
|---|---|
| Faucet Flow Rate: | 1.2 gpm (4.5 l/min) |

## Valves

| | |
|---|---|
| Included Valve: | Ceramic disc |

## Material

- Premium material construction for durability and reliability
- KOHLER finishes resist corrosion and tarnishing

## Recommended Products/Accessories

- [object Object]23726 Drain treatment
- K-23723 Faucet cleaner

## Warranty


***See website for detailed warranty information.***

KOHLER® Faucet Lifetime Limited Warranty



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-27-2026 02:03 - US-CA

THE BOLD LOOK OF KOHLER.




## Installation

- For single-hole or 4" (102 mm) centerset installation (escutcheon plate included)
- Flexible connections for easy installation

## Installation Notes

***Install this product according to the installation instructions.***

ADA compliant for handles only.
ADA, OBC, CSA B651 compliant when installed to the specific requirements of these regulations.



1-800-4KOHLER (1-800-456-4537)
Kohler Co. reserves the right to make revisions without notice to product specifications.
For the most current specification sheet, go to www.kohler.com USA or www.kohler.ca Canada.
10-27-2026 02:03 - US-CA

THE BOLD LOOK OF KOHLER.